






Vesta Plank in Ironstone and as Porch Ceiling in Gilded Grain | Fascia and Trim in Ironstone





Vesta Plank in Dark Espresso and White




Vesta Plank in Autumn Thistle and Coal \mid TruVent $^{
m s}$ soffit, drip edge, rainware and trim in Black



Vesta Plank in White and Tourmaline | TruCedar[®] 6" Board & Batten in White | Vesta Plank as porch ceiling in Sand Dollar | Fascia, soffit, and rainware in Black











Vesta Plank in Coal & Autumn Thistle | Vesta Plank as porch ceiling in Autumn Thistle | Fascia, drip edge and trim in Black













Vesta Plank as siding and porch ceiling in Gilded Grain with TruCedar 6" Board & Batten in White | Fascia, rainware and trim in Black





Vesta Plank in Driftwood and Autumn Thistle | Vesta Plank as soffit in Autumn Thistle









Vesta Plank in Aged Walnut




Vesta Plank in Gilded Grain and Silver Lining | Vesta Plank as soffit in Gilded Grain | Fascia, drip edge and trim in Black








Vesta Plank in Sand Dollar and Evening Shade | Fascia, drip edge, soffit and trim in Black



Vesta Plank in Ironstone and Gilded Grain | Vesta Plank as porch ceiling in Gilded Grain | Fascia, drip edge and trim in Black














Vesta Plank in Sand Dollar and White | TruVent soffit, fascia, and trim in Black





Vesta Plank as siding and soffit in Ironstone and Driftwood






Vesta Plank in Gilded Grain and TruCedar 10" Board & Batten in Ironstone






Left to Right Top Row: Vesta Plank in Gilded Grain and Sand Dollar | Vesta Plank in Gilded Grain and Coal | Vesta Plank in Autumn Thistle, Silver Lining, Sea Glass and Eggshell Left to Right Middle Row: Vesta Plank in Gilded Grain and Ironstone | Vesta Plank in Gilded Grain Left to Right Bottom Row: Vesta Plank in Sand Dollar and Ironstone




Vesta Plank in Gilded Grain





Although we make every effort to ensure color accuracy in our printing process, due to printing limitations, your final products may not be an exact match to those shown.



Vesta Plank in Aged Walnut

RING Solids Bold and Neutral



Vesta Plank in Sea Glass

463 Coal

463 Coal	
414 Ironstone	
462 Silver Lining	
468 Fawn	
469 Fresh Canvas	
503 Eggshell	
280 White	
470 Midnight Blue	
467 Evening Shade	
466 Tourmaline	
465 Sea Glass	

Although we make every effort to ensure color accuracy in our printing process, due to printing limitations, your final products may not be an exact match to those shown.

PRODUCT DETAILS

PROFILE

- 5" Plank 8 ft Length (Woodgrain)
- 5" Plank 12 ft Length (Solid)

MATERIALS

• Steel

THICKNESS

- 0.020" (Panels)
- 0.016" (Accessories)

APPLICATION

- Horizontal
- Vertical
- Underdecking and Porch Ceiling

SOLID AND WOODGRAIN COLORS

Vesta's color palette was designed to bring style to the exterior of a home. Each of the woodgrain colors consist of six unique grain configurations designed to resemble the natural variation of stained woods that results when several features interact, including irregular grain, rays and color deposits on the surface of wood.

COATING

- Kynar 500[®] (70% PVDF) Woodgrains
- Kvnar[®] (50% PVDF) Solids
- CarbonTech90[™] Woodgrains & Solids

PATENTS/U.S. COPYRIGHT

U.S. Patent Nos.: 10,508,455; 10,760,282 U.K. Patent: 2,588,713 Canadian Patent Pending

© Sand Dollar Woodgrain Artwork VAu1-378-183 © Driftwood Woodgrain Artwork VAu1-378-232 © Autumn Thistle Woodgrain Artwork VAu1-378-233 © Gilded Grain Woodgrain Artwork VAu 1-382-425

TECHNICAL DATA

Vesta steel siding utilizes one of the strongest, most versatile, and recyclable materials on our planet, reducing your carbon footprint and safeguarding against costly repairs.

BUILDING CODE RATINGS

R703.3 Wall Covering Nominal Thickness and attachments. Source: IRC 2018

With low energy use and zero off-gassing or maintenance concerns, Vesta is an environmentally friendly siding solution.

MATERIAL/PAINT & COATINGS DATA

- 100% Recyclable
- VOC-free coatings
- Lead free finishes

With Vesta's rigorous testing, you can feel safe and at ease, knowing the home is protected.

FLAME SPREAD AND SMOKE DEVELOPED RATINGS

- ASTM E84-18b
- Class A Rating

STRUCTURAL PERFORMANCE RATING

ASTM E1592-05

IMPACT RESISTANCE RATING

• UL2218 Class 4 Rating

Quality Edge is committed to leading the industry in terms of innovation and airflow. Vesta panels have unique, built-in breathing ducts that promote air circulation between joint seams and behind the building surface.

Planks must be installed on a minimum $\frac{1}{2}$ " O.S.B. or plywood solid flat wall over house wrap. Fasten all panels loose (floating) to the wall using $1^{1/2}$ " nails or screws, inserting fasteners into the holes along the top of the panel 16" on center. Ensure each panel is fully engaged to the one below via the pre-rolled feature at the bottom of the panel before fastening it.

WARRANTY

Our Lifetime Limited Warranty includes protection against peeling, flaking, chipping, cracking, color fade, chalking, rust, hail, and abrasion. Vesta's steel core is unlike any other and designed to defend against whatever nature throws at it. An anti-corrosive zinc barrier provides unyielding protection born to last generations.

INSTALLATION

AVAILABILITY & COST

Our products are available locally through Quality Edge distributors. Our distributors can provide current pricing. Contact us to put you in touch with a local Quality Edge representative in your area who can provide you distributor information.

MAINTENANCE

Remove any and all debris that may accumulate on the wall during its lifespan to keep it moisture free. Tighten any loose fasteners or trim pieces as access allows. Do not attempt to repair or replace any parts of the system without consulting a certified applicator. Repainting the wall should not be necessary through the duration of the warranty.

TECHNICAL SUPPORT

Complete technical information and literature is available at: www.QualityEdge.com/Resources



Vesta Plank in Fresh Canvas



VPPHOTOBOOK0822